




Groundcare Hire Solutions



Hire Booklet

BENEFITS OF HIRE

There are a range of benefits for hiring from The GHS, some of these include:

- Minimise inventory
- Right equipment for the job
- No maintenance cost
- Taxation benefits
- Increased borrowing capacity
- No disposal costs
- No obsolescence
- Low risk with increased safety responsibility with the rental company

COLLECTION & DELIVERY

- All drivers and installers fully competent with our machines
- Cost of collection and delivery given at point of hire inquiry
- All drivers BAGMA trained and able to carry out installation training
- Drivers able to give advice on a wide range of equipment in the brochure
- If you do not see what you are looking for in our range then please contact the office, as we are always adding to our extensive fleet

LONG TERM HIRE

If you require hire for periods of over 40 weeks, we can also provide bespoke long term hire rates. The price we provide will be fixed for the full duration of the contract. This is because we understand it is important to know the upfront costs so you can accurately price every job.

The price that we provide will include everything from supply, transport, training, maintenance, repair and replacement if necessary.

If you are interested in a longer term hire period over 40 weeks, then please give us a call.

PROTECTIVE CLOTHING

We sell and supply a large range of Stihl Safety Equipment and Protective Clothing that are available in store.

We advise that you buy any safety equipment that is required for the machine that you have chosen to hire.



GHS – GROUND CARE HIRE SOLUTIONS

At GHS, we offer a wide selection of professional groundcare equipment available for hire. Our nationwide service caters to a variety of sectors, including private landowners, sports clubs, racecourses, golf courses, local authorities, grounds maintenance contractors, and event organisers.

Our goal is to ensure you have the right equipment for the job. The GHS specialist groundcare team brings a wealth of experience and expertise, ready to provide guidance and advice on selecting the best machine for your needs.

We supply a range of carefully selected equipment from leading manufacturers such as Toro, Kubota, Ventrac, New Holland, Wessex, Dennis Sisis, Scag, Stihl, Timberwolf, Major, and Nugent Trailers. Regardless of the size of the job, we have the right machines to meet your requirements.

At GHS, we have a highly qualified team of trained technicians and parts specialists, which means you can trust that when you hire from us, you will receive the best possible support and backup when you need it. We offer on-site servicing and repairs as part of the hire agreement, and a replacement machine can be provided if necessary.

Our quoted hire prices include training, maintenance, repairs, and replacement if needed, ensuring that there are no hidden costs. This allows you to budget accurately for your project. If you're interested in hiring equipment not listed on our website, please get in touch with us.

We also offer long-term hire options; contact us for more information. We work to suit your needs, so don't hesitate to reach out to discuss your project requirements in detail. We are here to help you.



IF YOU DO NOT SEE WHAT YOU ARE LOOKING FOR IN OUR RANGE PLEASE CONTACT THE OFFICE AS WE ARE ALWAYS ADDING TO OUR EXTENSIVE HIRE FLEET

CONTENTS

TRAILERS.....Page 7-8

Double axle trailers
Single axle trailers
Beaver tail trailer

PEDESTRIAN OPERATED EQUIPMENT.....Page 9-12

Rotary Mower Hydrostatic
Turf Cutter
Flail Mower Hydrostatic
Cylinder Mower
BCS 740 Rotavator
Sweeper
Edger
Walk Behind Sweeper
Scarifier
Vacuum
Aerators
Tracked Trenchers

PEDESTRIAN OPERATED EQUIPMENT MULTI TOOL.....Page 13-14

Power Unit
Mt hyd sweeper
Mt hyd weed brush
Mt Collection box

GHS SERVICE & PARTS.....Page 15

RIDE ON EQUIPMENT.....Page 16-20

Batwing/lrg space rotary mower
Out/f rotary mower non collect
Out/f rotary mower collect
Mid rotary mower collect
Outfront flail mower
3 Unit cylinder mower
Zero turn rotary mower
Electric zero turn
Electric stander
Utility vehicle
Stander Ride on mower
Triple Flail mower
Outfront Flail collector 1.25m
Outfront Flail collector 1.5m

TRACTOR ACCESSORIES.....Page 21-25

Tractor mounted rotary mower
Towable truck Loader
Tractor towable rotary mower
Tractor mounted flail mower
Tractor towable vacuum
Utility vehicle & Top dresser
Stone Burier
Tractor mounted Scarifier
Compact Tractor mounted Sidearm
Tractor mounted Rotavator
Tractor mounted Flail Mower
Soil de-compaction (vertiquake)

Tractor mounted aerator (Veridrain)
Tractor mounted Overseeder
Disc Seeder

TRACTORS.....Page 26-31

Sml tractor c/w loader no cab
Sml tractor no loader no cab
Sml tractor c/w loader and cab
Sml tractor no loader c/w cab
Med tractor c/w loader and cab
Med tractor no loader c/w cab
Lrg tractor c/w loader and cab
Lrg tractor c/w loader no cab
Slope/bank tractor
Slop/bank tractor/multitool
Ventrac Attachment options

ARB-WOODCHIPPER & GRINDERS.....Page 32-35

Towed Chipper
Tracked Chipper
8” Towed Hybrid
TW13/75G Wood Chipper
Predator Stump Grinder
Stump Grinder (Large)
Stump Grinder (Small)

SPECIALIST GOLF MOWERS.....Page 36-37

Utility vehicle & Top Dresser
Ride on Greens Mower
Tees mower
Fairway mower

REMOTE CONTROLLED MOWERS.....Page 38-39

McConnel RC28 Rotary
McConnel RC40 c/w Head Attachment

SNOW AND ICE CLEARING EQUIPMENT.....Page 40-41

Tractor mounted gritter
Small towable salt spreader
Snow plough

ELECTRIC.....Page 42-43

Electric Stander
Electric Zero Turn

DOUBLE AXLE TRAILERS
SINGLE AXLE TRAILERS
BEAVER TAIL TRAILER



TRAILERS

DOUBLE AXLE TRAILER



- Drop down tailgate ramp
- Drop sides
- Mesh sides
- Spare wheel

SINGLE AXLE TRAILER



- Drop down tailgate ramp
- Fixed sides
- Mesh sides
- Spare wheel

BEAVER TAIL TRAILER



- Drop down tailgate ramp
- Drop sides
- Mesh sides
- Spare wheel



Nugent's Commercial trailer range has been engineered to meet the demands of professional use.

Engineered in the Nugent tradition of strength, functionality and longevity, providing a robust and versatile solution for industries that demand constant use.

The Nugent patented Dual Drive™ parabolic suspension is standard across the Commercial range, enhancing the towing experience and bringing trailer suspension to new levels.

With a variety of sizes, ranging from 1.7m (6ft) to 5.5m (18ft), Nugent has a trailer for every Commercial or Domestic requirement.

A top of the range product, coupled with Nugent's aftercare will ensure you have a product you can rely on.

ROTARY MOWER HYDROSTATIC
TURF CUTTER
FLAIL MOWER HYDROSTATIC
CYLINDER MOWER
BCS 740 ROTAVATOR
SWEEPER
EDGER
WALK BEHIND SWEEPER
SCARIFIER
VACUUM
AERATORS
TRACKED TRENCHERS



PEDESTRIAN OPERATED EQUIPMENT

ROTARY MOWER HYDROSTATIC



- 18 hp Kawasaki Engine
- 48 Inch Cut Width
- Zero Turn
- Height of Cut

TURF CUTTER



- 5.5 hp Honda Engine
- 18" Cut Width
- 2.5" Cut Depth

BCS 740 ROTAVATOR



- 11HP Honda Engine
- 660mm Working Width
- 3 x forward gears & reverse gears
- Optional Depth Roller

SWEEPER



- 5hp Honda Engine
- 870mm working width
- Clockwise and anti clockwise brush rotation

FLAIL MOWER HYDROSTATIC



- 25-108mm height of cut
- Flail mower hydro - 25-125mm

CYLINDER MOWER



- 4 hp Honda Engine
- 24" Cut Width
- 6 – 30mm Height of Cut

EDGER



- 3.1 hp Kawasaki Engine
- Works on drop kerbs
- Single Rotary Blade

WALK BEHIND SEEDER



- GX160 Honda Engine
- 50cm working width
- Multipurpose for seeding a new lawn or over seeding

SCARIFIER



- 11 hp Honda Engine
- 24" Working Width
- 30 mm Working Depth
- Option to go Deeper

VACUUM



- 6.5 hp Honda Engine
- 74 cm Working Width
- 3 Speed
- 151 Ltr Bag

AERATORS



- 23 hp Kohler Engine
- 48" Working Width
- 20 cm – 100 cm Working Depth
- Tines purchased separately

TRACKED TRENCHER



- 11.9 kW (16 hp) Kawasaki® Twin-Cylinder Petrol Engine
- Hydro statically Track Driven/ Allows Zero Turn
- Pivoting Trencher Head
- Easy to manoeuvre

POWER UNIT
MT HYD SWEEPER
MT HYD WEED BRUSH
MT COLLECTION BOX

PEDESTRIAN OPERATED
EQUIPMENT - MULTI TOOL

POWER UNIT



- Two Wheel Hydraulic Power Unit
- 6.6hp Honda petrol engine - GX270 - 270cc
- Hydraulic transmission 0-7km/h
- Dimensions: W70cm. - L 125cm
- Height 110cm
- Forward and reverse direction with differential

MT HYD SWEEPER



- Hydraulic quick-attach sweeper with manual angling
- Side drive hydraulic motor
- Fully adjustable for height and angle 37cmØ
- Suitable for sweeping hard and soft surfaces including artificial sports surface
- **REQUIRES POWER UNIT**

MT HYD WEED BRUSH



- For Moss and Weed Removal and Path Edging
- 40cm quick-attach rotary wire brush with hydraulic drive
- Fully adjustable for height, angling and penetration
- **REQUIRES POWER UNIT**

MT COLLECTION BOX



- 100cm Collector Box
- Collector Box and Brackets Made from durable PE plastic
- **REQUIRES POWER UNIT**

SERVICE & PARTS



SERVICE WITH GHS



- **All factory trained technicians**
- **4 hour call out (in Yorkshire, Leicestershire, Lincolnshire and Derbyshire)**
- **Next day service (none emergency)**
- **Genuine parts fitted**
- **Loler and sprayer testing on site**
- **Air conditioning re-gas and service**
- **Menu service pricing**

PARTS WITH GHS



- **Genuine parts supplied**
- **Guaranteed next day service (UK)**
- **No minimum order requirement**
- **Keen discount structure**
- **Excellent product knowledge**
- **Industry leader in aftersales**

BATWING/LRG SPACE ROTARY MOWER
 OUT/F ROTARY MOWER NON COLLECT
 OUT/F ROTARY MOWER COLLECT
 MID ROTARY MOWER COLLECT
 OUTFRONT FLAIL MOWER
 3 UNIT CYLINDER MOWER
 ZERO TURN ROTARY MOWER
 ELECTRIC ZERO TURN
 ELECTRIC STANDER
 UTILITY VEHICLE
 STANDER RIDE ON MOWER
 TRIPLE FLAIL MOWER
 OUTFRONT FLAIL COLLECTOR 1.25M
 OUTFRONT FLAIL COLLECTOR 1.5M



RIDE ON EQUIPMENT

BATWING/LRG SPACE ROTARY MOWER



- 41 kW (55 hp) Yanmar® turbo diesel engine, Tier 4 Final compliant
- 4WD, All-Time Traction AssistX
- 335 cm Cutting Width
- Ground Speed – Mowing: 0 to 8.3 mph; Transport: 0 to 16.2 mph

OUT/F ROTARY MOWER NON COLLECT



- 28.3 hp (17.5Kw) Kubota Diesel Engine
- 126 cm Cutting Width
- 20 – 110 mm Height Of Cut
- 9.3 mph - 15km/h Maximum transport speed

OUT/F ROTARY MOWER COLLECT



- 27.8 Kw (37.5 hp) Kubota diesel engine
- Full Time 4WD or Auto Assist 4WD
- 152 cm (60") cut Width
- 11 mph- 19 km/h Maximum transport speed

MID ROTARY MOWER COLLECT



- 23 hp (17.1 Kw) Kubota Diesel Engine
- 122 mm (48") Cut Width
- 25 – 102 mm Height of Cut
- 15.5 km/h - 9.5 mph Maximum Transport Speed

OUTFRONT FLAIL MOWER



- 35.5 hp (26.5Kw) Kubota Diesel Engine
- 157 cm (62") Width Of Cut
- 4 WD On Demand
- 15.5 mph – 25 km/h Maximum transport Speed
- 1.25m

3 UNIT CYLINDER MOWER



- 35 hp (26Kw) Kubota Diesel Engine
- 212 cm Width Of Cut
- 4WD On Demand
- 15.5 mph – 25 km/h Maximum transport Speed
- 1.2 – 8.0 cm/ 0.5 – 3" Height of cut

ELECTRIC STANDER



- 48v 6000-8000 mowing hours
- Peak output 24hp
- 48" cutting width
- 1/2 -5" height of cut
- 4-10 hour complete charge
- Up-to 7 hour cutting

UTILITY VEHICLE



- 21 hp (15.4 Kw) Kubota Diesel Engine
- 25 mph – 40 km/h Maximum Transport Speed
- Variable Hydraulic Transmission
- Hi- Low Range, Forward, Neutral and Reverse
- 4 WD Selectable

ZERO TURN ROTARY MOWER



- 25 hp (18.5 Kw) Kubota Diesel Engine
- 152 cm (60") Width Of Cut
- 25 – 127 mm Height Of Cut
- 10.5 mph – 17 km/h Maximum Transport Speed

ELECTRIC ZERO TURN



- 48v 6000-8000 mowing hours
- Peak output 36hp
- 52 (132cm) cutting width
- 1/2 -5" height of cut
- 7-11 hours complete charge (240v)
- Up-to 7 hour cutting

STANDER RIDE-ON MOWER



- 19 hp – 22hp Kawasaki Petrol Engine
- 91.5 cm (36") -122 cm (48") Width Of Cut
- Zero Turn Machine
- 10.5 mph – 17 km/h Maximum Transport Speed

STANDER RIDE-ON MOWER



- 15hp Kawasaki Petrol Engine
- Cut width 82cm (32")
- Zero Turn Machine
- 10.5 mph – 17 km/h Maximum Transport Speed

TRIPLE FLAIL MOWER



- 44 hp (32.8kw) Kubota diesel
- 212cm width of cut
- 4wd on demand
- 15.5mph/25km/H max
- 20-75MM height of cut

OUTFRONT FLAIL COLLECTOR 1.25m



- 24.5 hp (18 Kw) Kohler Diesel Engine
 - 7.4 mph – (12 km/h) Maximum Transport Speed
 - 1.25 cm Width Of Cut
 - Zero Turn Machine
- (Available with Scarifying blades)



Kubota is one of the world's largest manufacturers of diesel engines under 100 HP and is recognised as a world leader in compact tractors and diesel ride-on mowers. Their UK headquarters is strategically sited in Thame to provide good access to the whole of the country.

BENEFITS OF SERVICE CONTRACT

Safeguard your Kubota against unforeseen expensive repair costs for up to 5yrs with a service contract. Simply decide the service hour usage at the time of purchase.

OUTFRONT FLAIL COLLECT 1.5m



- 45.6 hp (34kw) Diesel engine
- 12.4 mph – (20km/h) Maximum Transport Speed
- 1.50cm Width Of Cut
- Zero Turn Machine
- All wheel drive

- TRACTOR MOUNTED ROTARY MOWER
- TOWABLE TRUCK LOADER
- TRACTOR TOWABLE ROTARY MOWER
- TRACTOR MOUNTED FLAIL MOWER
- TRACTOR TOWABLE VACUUM
- UTILITY VEHICLE & TOP DRESSER
- STONE BURIER
- TRACTOR MOUNTED SCARIFIER
- COMPACT TRACTOR MOUNTED SIDEARM
- TRACTOR MOUNTED ROTAVATOR
- TRACTOR MOUNTED FLAIL MOWER
- SOIL DE-COMPACTION (VERTIQUE)
- TRACTOR MOUNTED AERATOR (VERIDRAIN)
- TRACTOR MOUNTED OVERSEEDER
- DISC SEEDER

TRACTOR ACCESSORIES

TRACTOR MOUNTED ROTARY MOWER



- 40 hp Minimum Tractor, 540 rpm PTO
- PTO Driven
- 240 cm Width Of Cut
- 253 cm Transport Width
- 1 cm – 10 cm Height Of cut
- (Comes complete with tractor)

TOWABLE TRUCK LOADER



- 4 Blade impeller
- 12" intake nozzle
- Adjustable hitch

TRACTOR TOWABLE VACUUM



- 45 hp Minimum Tractor, 540 rpm PTO
- PTO Driven
- 4 m capacity Load C
- 180 cm Width Of Cut
- (Comes complete with tractor)

UTILITY VEHICLE & TOP DRESSER



- 24hp Kubota diesel engine
- Ground speed 0-31.9kph
- Overall length 330cm
- Overall width 164.3cm
- 21ft³ (54m³) Hopper capacity
- Standard controls

TRACTOR TOWABLE ROTARY MOWER



- 35 hp Minimum Tractor, 540 rpm PTO
- Hydraulic Lift/ PTO Driven
- 365 cm/12ft Width Of Cut
- 218 cm/ 86" Transport Width
- 1.3 cm – 10.2/ 0.5 – 4" Height of cut
- (Comes complete with tractor)

TRACTOR TOWABLE FLAIL MOWER



- 34 hp Minimum Tractor, 540 rpm PTO
- PTO Driven/ Hydraulic Lift
- 150 cm Width Of Cut
- 175 cm Transport Width
- 0 – 16 cm Height Of Cut
- (Comes complete with tractor)
- (Available with scarifying blades)

STONE BURIER



- 25 hp Minimum Tractor
- 540 PTO
- 125cm working width
- 700kg weight
- Stone burier can be compatible with seed box for an extra £175 per week
- (Comes complete with tractor)

TRACTOR MOUNTED SCARIFIER



- 80" working width
- Micro adjusters for depth setting
- 3 fully floating units mounted on a chassis with support wheels to follow ground contours
- Comes complete with tractor

COMPACT TRACTOR MOUNTED SIDEARM



- 50hp min tractor
 - 1 meter cutting width
 - 4.4meter reach
- (Comes complete with tractor)

TRACTOR MOUNTED SIDE ARM FLAIL



- 70 hp Minimum Tractor, 540 rpm PTO
- Side arm flail specs from:
- 5.4 Meter Reach
 - 1.2 Meter Head Cut Width
 - Tractor Weight 3.5 Ton
- (Comes complete with tractor)

SOIL DE-COMPACTION (VERTIQUE)



- Working width 1.6m and 2.1m
 - Working depth 250mm (10") maximum
 - Weight 622kg (1368lbs)
 - Tractor required lift capacity 35hp, 750kg (1650lbs)
 - Number of blades – 18
 - Thickness of blade – 12mm (0.5")
- (Comes complete with tractor)

TRACTOR MOUNTED AERATOR (VERTIDRAIN)



- 25 hp Minimum Tractor, 540 PTO
 - 1.5m working width
 - 8 – 9mm tine diameter
 - 360mm max working depth
- (Tines purchased separately)
(Comes complete with tractor)

TRACTOR MOUNTED ROTAVATOR



- 25hp min tractor
 - (57") 1.5 m working width
 - (75") 1900mm overall width
 - (7") 180mm
 - Weight 250Kg
- (Comes complete with tractor)

TRACTOR MOUNTED FLAIL MOWER



- 25 hp Minimum Tractor, 540 rpm PTO
 - PTO Driven
 - 140 cm Working Width
- (Comes complete with tractor)

TRACTOR MOUNTED OVERSEEDER



- 25hp min tractor
 - 1500mm working width
- (Comes complete with tractor)

DISC SEEDER



- 1.58m working width
 - Maximum working depth 20mm
 - 276 Litre hopper capacity
- (Comes complete with tractor)

SML TRACTOR C/W LOADER NO CAB
 SML TRACTOR NO LOADER NO CAB
 SML TRACTOR C/W LOADER AND CAB
 SML TRACTOR NO LOADER C/W CAB
 MED TRACTOR C/W LOADER AND CAB
 MED TRACTOR NO LOADER C/W CAB
 LRG TRACTOR C/W LOADER AND CAB
 LRG TRACTOR C/W LOADER NO CAB
 SLOPE/BANK TRACTOR
 SLOP/BANK TRACTOR/MULTITool
 VENTRAC ATTACHMENT OPTIONS



TRACTORS

SML TRACTOR C/W LOADER NO CAB



- Hydrostatic drive
- Rear 540 pto
- 780 rear linkage lift capacity
- 31 hp (22.8 Kw)

SML TRACTOR NO LOADER NO CAB



- Hydrostatic drive
- Rear 540 pto
- 780 rear linkage lift capacity
- 31 hp (22.8 Kw)

SML TRACTOR C/W LOADER AND CAB



- Hydrostatic drive
- Rear 540 pto
- 780 rear linkage lift capacity
- 31 hp (22.8 Kw)
- Air Con

SML TRACTOR NO LOADER C/W CAB



- Hydrostatic drive
- Rear 540 pto
- 780 rear linkage lift capacity
- 31 hp (22.8 Kw)
- Air Con

MED TRACTOR C/W LOADER AND CAB



- Hydrostatic drive
- Rear 540 pto
- Power shuttle
- 60 hp (22.8 Kw)
- Air Con
- Rear PTO

MED TRACTOR NO LOADER C/W CAB



- Hydrostatic drive
- Rear 540 pto
- Power shuttle

LARGE TRACTOR C/W LOADER AND CAB



- Rear 540, 540E, 750 pto
- Power shuttle
- 110 hp
- Air Con
- Agricultural tyres

LARGE TRACTOR NO LOADER C/W CAB



- Rear 540, 540E, 750 pto
- Power shuttle
- 110 HP
- Air Con

SLOPE/BANK TRACTOR



- 110 HP
- 4 WD
- Front & Rear PTO
- 2 Meter Flail Mower

The **Aebi Terratrac** are versatile implement carriers, for use in sloping terrain, with attachment areas at the front and rear. Thanks to the lightweight, broad design with a low center of gravity and identically-sized Terra tyres all around, they are thoroughly at home on sloping terrain and minimize soil compaction. Terratrac models come with a stepless hydrostatic drive - a Detail you will love after the first ride. A range of front and rear attachments is available making the Aebi Terratrac useful all year round. Disc, drum or flail mowers, band hay rake, front loader, snow plough or snow blower can be mounted in front. Rear implements are for example: rotary harrow, plough, trailer, loader and round bale press. Their range of uses is almost limitless.

SLOPE/ BANK MOWER/ MULTITOOL



- 110 HP
- High & Low Range Transport Speed
- 185.5 cm (54.5") Working Width With Twin Wheel Kit

Your One Tractor Solution

After one test drive on this incredibly agile, yet power packed tractor, there is no doubt that you will discover the value of the Ventrac 4500 has to offer. If your grounds require year- round maintenance then you need equipment that can work year round. Ventrac is uniquely designed to be the one tool that can do many seasonal tasks, with results that meet the highest expectations. We invite you to find out how Ventrac can be your one tractor solution.

VENTRAC

ATTACHMENT OPTIONS

VENTRAC POWER UNIT ONLY

- 110 HP
- High & Low Range Transport Speed
- 185.5 cm (54.5") Working Width With Twin Wheel Kit

ATTACHMENTS OPTION 1

- 72" FINISHING DECK
- TOUGH CUT DECK
- KA160 BLOWER

ATTACHMENTS OPTION 2

- BRUSH
- POWER RAKE

ATTACHMENTS OPTION 3

- KC220 STUMP GRINDER
- TRENCHER
- 83" CONTOUR DECK



TOWED CHIPPER
TRACKED CHIPPER
8" TOWED HYBRID
TW13/75G WOOD CHIPPER
PREDATOR STUMP GRINDER
STUMP GRINDER (LARGE)
STUMP GRINDER (SMALL)



ARB – WOODCHIPPERS & GRINDERS

TOWED CHIPPER (TW230DHB – TW280TDHB)



- 6" Chipper – 37hp Diesel Engine
- 5 Tonnes/Per Hour Output
- 6" chipper – 37hp Petrol Engine
- 5 Tonnes/Per Hour Output

TRACKED CHIPPER (TW230VTR – TW280TFTR)



- 6" Chipper – 37hp Diesel Engine
- 5 Tonnes/Per Hour Output
- 8" Chipper – 57hp Diesel Engine
- 6.5 Tonnes/ Per Hour Output
- Light and Maneuverable



Timberwolf specialises in the manufacture of professional wood chippers. We have come a long way since our first chipper was introduced over 35 years ago. Today, and over 16,000 machines later, Timberwolf has succeeded in becoming the largest seller of commercial wood chippers in the UK and continues to grow globally.

8" TOWED HYBRID



- 8" Chipper - 62hp Kubota diesel engine
 - Low fuel usage
 - 210mm (8 1/4") infeed
- Low fuel usage

TW13/75G WOOD CHIPPER



- Gravity feed chipper
- 13hp Honda petrol engine
- 75mm (3") cutting performance
- Positive feed blade

REMOTE CONTROL STUMP GRINDER



- 38hp Kohler petrol engine
- Track driven
- 19" MT cutter wheel
- Radio control



Predator design compact stump grinders that efficiently remove tree stumps in tough access environments worldwide.

From portable machinery to tracked, we supply cutting edge tree stump removal tools for Arboricultural professionals, Plant Hire firms, Local authorities and Contractors worldwide.

STUMP GRINDER (LARGE)



- 38HP Kohler petrol engine
- Electric start
- 6x multi-tip teeth
- 54" swing
- 18" cutting depth

STUMP GRINDER (SMALL)



- 11.7hp Honda HX390 petrol engine
- 14" MT cutter wheel
- Small and Maneuverable
- Manually Operated

UTILITY VEHICLE & TOP DRESSER
RIDE ON GREENS MOWER
TEES MOWER
FAIRWAY MOWER

**PLEASE
 CONTACT
 FOR LONG TERM
 HIRE CONTRACT
 WITH OR WITHOUT
 MAINTENANCE**

SPECIALIST GOLF MOWERS

UTILITY VEHICLE & TOP DRESSER



- 24hp Kubota diesel engine
- Ground speed 0-31.9kph
- Overall length 330cm
- Overall width 164.3cm
- 21ft³ (54m³) Hopper capacity
- Standard controls

RIDE ON GREENS MOWER



- Kubota® D902, Tier 4i, 24.8 HP (18.5 kW)
- 59" (150 cm) Width Of Cut
- HOC range is .062"-.297" (1.6-7.5 mm)
- 1286 lbs. (586 kg) Machine Weight

TEES MOWER



- 21.5 hp (16 kW) Kubota® diesel engine
- 3-Wheel Series/Parallel Traction Drive
- 72"-85" (1.8m-2.2m) Cutting Width
- Ground Speed - Mowing: 0-6 mph (0-10 km/h) Transport: 0-9 mph (0-14km/h)

FAIRWAY MOWER



- True hybrid drive EnergySmart™ power system: 24.8 hp (18.5 kW) Kubota® diesel engine w/Four 12V AGM Lead Carbon Batteries
- 2WD or CrossTrax™ AWD Traction Drive
- 100" (2.5m) Cutting Width
- Ground Speed - Mowing: 0-8 mph (0-12.8 km/h) Transport: 0-10 mph (0-16.1 km/h)

MCCONNEL RC28 ROTARY
MCCONNEL RC40 C/W HEAD ATTACHMENT



REMOTE CONTROLLED MOWERS

McCONNEL RC28 ROTARY



- 28hp Engine
- 1500mm overall width
- Max working angle 55 degrees
- 1.1m Cutting Width

McCONNEL RC40 C/W HEAD ATTACHMENT



- 56hp (42kw) HATZ, 3 cylinder, Diesel turbo, tier 4 final
- 1300mm Overall width
- 1.3m to 1.9m Rotor Working width
- Standard ~ max working angle 40°

3 ATTACHMENTS AVAILABLE - FLAIL , MULCHER OR FORESTRY HEAD

TRACTOR MOUNT GRITTER
SMALL TOWABLE SALT SPREADER
SNOW PLOUGH



SNOW AND ICE CLEARING EQUIPMENT

TRACTOR MOUNT GRITTER



- Min 25hp tractor
- 350-750ltr hopper capacity
- Weight payload 1300kg
- Width 1.0-1.5m

SNOW PLOUGH



- 3m Width
- 3 Point Linkage
- 3 Working Positions

SMALL TOWABLE SALT SPREADER



- HP Tractor or 4wd vehicle
- 1.8-8m spread width
- Length - 3300mm
- Working width - 1760mm
- Hopper capacity 600kg

**TRACTOR MOUNTED GRITTER
SMALL TOWABLE SALT SPREADER**



ELECTRIC



AVERAGE FUEL USAGE A DAY FOR EQUIVALENT MEAN GREEN MACHINES ARE £22.50 - £30.00 (based on 3 hours cutting per day 5 days a week would give savings of anywhere from £4000 -£5000 per year based on 500 hours per year)

Traditional petrol mowers are loud, inefficient, toxic to the environment and expensive to operate and maintain. Mean Green Mowers are solving each of those problems by designing and manufacturing some of the most efficient electric mowers in the USA.

Whether you're mowing commercial properties every day, maintaining public parks or spaces or maintaining commercial Mean Green Mowers get the job done efficiently and effectively.

ELECTRIC STANDER



- 48v 6000-8000 mowing hours
- Peak output 24hp
- 48" cutting width
- 1/2 -5" height of cut
- 4-10 hour complete charge
- Up-to 7 hour cutting

ELECTRIC ZERO TURN



- 48v 6000-8000 mowing hours
- Peak output 36hp
- 52 (132cm) cutting width
- 1/2 -5" height of cut
- 7-11 hours complete charge (240v)
- Up-to 7 hour cutting

GHS SALES

**WITH OVER FORTY YEARS
OF EXPERIENCE WITHIN THE
GROUND CARE SECTOR WE
ARE ONE OF THE COUNTRIES
LARGEST PROFESSIONAL
GROUND CARE AND TURF
MACHINERY HIRERS.**


We can source and supply most machinery for local authorities, Golf Courses, Holiday parks, Landscape contractors, Sports pitches, and many more.

We can supply many known brands such as: Toro, Kubota, Amazone, Timberwolf, Scag, Dennis, SISIS and many more.

Our aim is to supply new and used groundcare machinery to customers alongside building long lasting relationships.

For any new or used enquiries please visit our website or give us a call. We can then arrange an onsite introduction with your local sales representative.

Alternatively, pop into your local branch and we'll be happy to show you around.





Gateway Business Park, Broad Lane
Gilberdyke, HU15 2TB
T: 0333 323 9040
E: info@ghs.co.uk